












Neutral conductor, leading switching for floor mounting, Up to 32 A,,  
Accessory for main and emergency stop switch 3LD2

Model							
product brand name	SETRON						
product designation	Neutral conductor						
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches						
AWG number / as coded connectable conductor cross section							
• minimum	14						
• maximum	8						
type of connectable conductor cross-sections / for main contacts							
• finely stranded / with core end processing	1x (1.5 ... 16 mm <sup>2</sup> )						
• solid or stranded	1x (1.5...10 mm <sup>2</sup> )						
General Product Approval							
	<table border="1"> <thead> <tr> <th>Test Certificates</th> <th>other</th> </tr> </thead> <tbody> <tr> <td>  <a href="#">Confirmation</a> </td> <td>   </td> </tr> <tr> <td> <a href="#">Special Test Certificate</a> </td> <td> <a href="#">Miscellaneous</a> </td> </tr> </tbody> </table>	Test Certificates	other	 <a href="#">Confirmation</a>	 	<a href="#">Special Test Certificate</a>	<a href="#">Miscellaneous</a>
Test Certificates	other						
 <a href="#">Confirmation</a>	 						
<a href="#">Special Test Certificate</a>	<a href="#">Miscellaneous</a>						



[Confirmation](#)



[Special Test Certificate](#)

[Miscellaneous](#)

other

[Environmental Confirmations](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9220-0C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3LD9220-0C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9220-0C](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9220-0C)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

