



SENTRON, cylindrical fuse holder, 10x38 mm, 2-pole, In: 32 A, Un AC: 690 V, LED signal detector

| Model | | |
|---|---------------------------|-------|
| product brand name | SENTRON | |
| product designation | Cylindrical fuse holder | |
| design of the product | LED signal detector | |
| General technical data | | |
| number of poles | 2 | |
| size of fuse link | 10 x 38 mm | |
| Supply voltage | | |
| operating voltage | | |
| • at AC / rated value | 690 V | |
| protection class IP | IP20 | |
| Current | | |
| operational current / at AC / rated value | 32 A | |
| Mechanical Design | | |
| height | 81 mm | |
| width | 36 mm | |
| depth | 64 mm | |
| net weight | 136 g | |
| Certificates | | |
| reference code / according to IEC 81346-2 | F | |
| General Product Approval | | |
| | Declaration of Conformity | other |

[Confirmation](#)



[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7024>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7024>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7024

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



