



SENTRON, cylindrical fuse holder, 10 x 38 mm, 2-pole, In: 30 A, Ue DC: 1000 V, for photovoltaic application

| Model | |
|---|----------------------------------|
| product brand name | SENTRON |
| product designation | Cylindrical fuse holder |
| design of the product | For photovoltaic applications |
| General technical data | |
| number of poles | 2 |
| size of fuse link | 10 x 38 mm |
| Supply voltage | |
| operating voltage | 1 000 V |
| • at DC / rated value | |
| protection class IP | IP20 |
| Current | |
| operational current / at AC / rated value | 30 A |
| Mechanical Design | |
| height | 85 mm |
| width | 36 mm |
| depth | 65 mm |
| net weight | 122 g |
| Certificates | |
| reference code / according to IEC 81346-2 | F |
| General Product Approval | Declaration of Conformity |



[Confirmation](#)



Declaration of Conformity

other



[Miscellaneous](#)

[Miscellaneous](#)

Further information

[Information- and Downloadcenter \(Catalogs, Brochures,...\)](#)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7023-4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7023-4>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7023-4

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



