



SENTRON, cylindrical fuse holder, 10 x 38 mm, 2-pole, In: 25 A, Ue DC: 1000 V, LED Signal detector, for photovoltaic application

Model	
product brand name	SENTRON
product designation	Cylindrical fuse holder
design of the product	LED signal detector, for photovoltaic applications
General technical data	
number of poles	2
size of fuse link	10 x 38 mm
Supply voltage	
operating voltage	
• at DC / rated value	1 000 V
protection class IP	IP20
Current	
operational current / at AC / rated value	25 A
Mechanical Design	
height	85 mm
width	36 mm
depth	65 mm
net weight	123 g
Certificates	
reference code / according to IEC 81346-2	F
General Product Approval	Declaration of Conformity



[Confirmation](#)



other

[Miscellaneous](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7024-4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7024-4>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7024-4

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



