










SENTRON, cylindrical fuse link, 10 x 38 mm, 8 A, gPV, Un DC: 1000 V



Model					
product brand name	SENTRON				
product designation	Cylindrical fuse link				
General technical data					
operating class of the fuse link	gPV				
size of the fuse link	10x38 mm				
type of voltage / of the operating voltage	DC				
supply voltage / at DC	1 000 V				
operational current / at AC / rated value	8 A				
Main circuit					
operational current / rated value	8 A				
Product details					
product component / striker	No				
Mechanical Design					
mounting position	Any, preferably vertical				
net weight	9 g				
General Product Approval					
<table border="1"> <thead> <tr> <th>Declaration of Conformity</th> <th>other</th> </tr> </thead> <tbody> <tr> <td> <a href="#">Confirmation</a>     </td> <td> <a href="#">Miscellaneous</a> </td> </tr> </tbody> </table>		Declaration of Conformity	other	<a href="#">Confirmation</a>   	<a href="#">Miscellaneous</a>
Declaration of Conformity	other				
<a href="#">Confirmation</a>   	<a href="#">Miscellaneous</a>				

### Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW6008-4>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3NW6008-4>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW6008-4](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6008-4)
- CAX-Online-Generator  
<http://www.siemens.com/cax>
- Tender specifications  
<http://www.siemens.com/specifications>



