

Fork-type busbar touch-safe, 2-phase 16 mm², 56 MW



Model	
product brand name	SENTRON
product designation	Fork-type busbar
design of the product	2PH 16mm ² 56MW
busbar design	laminated
General technical data	
surface processing / tin-plated	No
Main circuit	
operational current / rated value	120 A
Product details	
product feature / flexible	Yes
Mechanical Design	
width	15.1 mm
length	1 000 mm
thickness / of busbar	15 mm
material / of the busbar	SF-Cu F 24
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)

[Miscellaneous](#)



[Environmental Confirmations](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)


<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST2191>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST2191>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST2191



1) Fork spacings in MW (Modular widths, 1 MW = 18 mm).



