

Fork-type busbar touch-safe, 3-phase 16 mm<sup>2</sup>, 56 MW



Model					
product brand name	SENTRON				
product designation	Fork-type busbar				
design of the product	3PH 16mm <sup>2</sup> 56MW				
busbar design	laminated				
General technical data					
surface processing / tin-plated	No				
Main circuit					
operational current / rated value	120 A				
Product details					
product feature / flexible	Yes				
Mechanical Design					
width	15.1 mm				
length	1 000 mm				
thickness / of busbar	15 mm				
material / of the busbar	SF-Cu F 24				
General Product Approval					
<table border="1"> <thead> <tr> <th>Declaration of Conformity</th> <th>other</th> </tr> </thead> <tbody> <tr> <td> <a href="#">Confirmation</a> </td> <td> <a href="#">Miscellaneous</a> </td> </tr> </tbody> </table>		Declaration of Conformity	other	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>
Declaration of Conformity	other				
<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>				



[Environmental Confirmations](#)

other

[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)


<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST2192>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST2192>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST2192](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST2192)



1) Fork spacings in MW (Modular widths, 1 MW = 18 mm).



