



SITOR cylindrical fuse link, 14x51 mm, 3 A, aR, Un AC: 660 V

Model	
product brand name	SENTRON
product designation	SITOR cylindrical fuse link
General technical data	
operating class of the fuse link	aR
size of the fuse link	14x51 mm
type of voltage / of the operating voltage	AC
operating voltage / at AC / rated value	660 V
Dissipation	
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	2.5 W
operational current / at AC / rated value	3 A
Main circuit	
operational current / rated value	3 A
Product details	
product component / striker	No
Mechanical Design	
mounting position	Any, preferably vertical
net weight	20 g
General Product Approval	



[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	other
---------------------------	-------



[Environmental Con-  
firmations](#)

[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3NC1403>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1403>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NC1403](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1403)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



