


accessories circuit breaker 3WL maine conductor conn. 1 piece fixed-mounted circ.br. size I front conn. bottom dual hole front accessible up to 2000A



Model			
product brand name	SETRON		
design of the product	Main conductor connections 1 unit fixed-mounted circuit breaker		
size of the circuit-breaker	1		
continuous current / rated value / maximum	1 600 A		
continuous current / rated value	1 250 A		
Accessories			
accessories	other		
minimum connectable cross-section version / for main contacts	Cu busbar, bare: 2 x 50 x 10 mm <sup>2</sup> , Cu busbar, painted black: 2 x 50 x 10 mm <sup>2</sup>		
General Product Approval	EMC	Declaration of Conformity	Test Certificates

[Confirmation](#)



[UK Declaration of Conformity](#)



[Miscellaneous](#)

other

[Miscellaneous](#)

[Environmental Conformations](#)

[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL9111-0AL58-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AL58-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WL9111-0AL58-0AA0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL9111-0AL58-0AA0)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



