


accessories circuit breaker 3WL maine conductor conn. 1 piece
 withdrawable circ.breaker sz ii front conn. single-hole front accessible up
 to2500A



| Model | |
|----------------------------------|--|
| product brand name | SETRON |
| design of the product | Main conductor connections 1 unit withdrawable circuit breaker |
| size of the circuit-breaker | 2 |
| continuous current / rated value | 2 500 A |

| Accessories | |
|---|--|
| accessories | other |
| minimum connectable cross-section version / for main contacts | Cu busbar, bare: 2 x 100 x 10 mm ² , Cu busbar, painted black: 2 x 100 x 10 mm ² |

| General Product Approval | EMC | Declaration of Conformity | Test Certificates |
|--------------------------|-----|---------------------------|-------------------|
|--------------------------|-----|---------------------------|-------------------|

[Confirmation](#)



[UK Declaration of Conformity](#)



[Miscellaneous](#)

other

[Miscellaneous](#)

[Environmental Conformations](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3WL9111-0AN04-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AN04-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3WL9111-0AN04-0AA0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

