





Undervoltage release 230 V AC, with 6 terminals for miniature circuit breaker 5SL4, 5SY, 5SP RCBO 5SU1, FI 5SV (for 5SU1 handle coupler 5ST3805-1 is required)

Model					
product brand name	SENTRON				
product designation	Undervoltage release				
General technical data					
switching function / ON-delay/instantaneous contact	No				
type of voltage / of the operating voltage / for actuation	AC				
Control current					
control supply voltage					
<ul style="list-style-type: none"> • at AC / at 50 Hz / rated value / minimum • at AC / at 50 Hz / rated value / maximum • at AC / at 60 Hz / rated value / minimum • at AC / at 60 Hz / rated value / maximum 	<p>230 V</p> <p>230 V</p> <p>230 V</p> <p>230 V</p>				
Suitability					
suitability for integration					
<ul style="list-style-type: none"> • motor starter protector • overload relay 	<p>No</p> <p>No</p>				
suitability for use					
<ul style="list-style-type: none"> • load switch • circuit breaker 	<p>No</p> <p>No</p>				
number of NC contacts	0				
number of NO contacts	2				
number of CO contacts	0				
Connections					
type of electrical connection	screw-type terminals				
Mechanical Design					
height	90 mm				
depth	70 mm				
net weight	114 g				
General Product Approval		Declaration of Conformity	other		
Confirmation	Miscellaneous		UK Declaration of Conformity		Environmental Confirmations
				EG-Konf.	
other		Railway			

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3040>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3040>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3040

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

