

Pin busbar 3x 1-phase+AUX, 1016 mm long touch-safe, 18 mm² without end caps, according to UL 508



| Model | |
|-------------------------------|-------------------------------------|
| product brand name | SENTRON |
| product designation | Pin busbar |
| design of the product | 18 mm ² , 3x1PH+AS UL508 |
| General technical data | |
| phase number | 1 |
| cross-section | 18 mm ² |
| Product details | |
| product feature / insulated | Yes |
| Connections | |
| type of electrical connection | Pin |
| Mechanical Design | |
| width | 21 mm |
| length | 1 040 mm |
| net weight | 793.44 g |
| General Product Approval | Declaration of Conformity |

[Confirmation](#)



[Miscellaneous](#)



[UK Declaration of Conformity](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3714-0HG>





Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3714-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3714-0HG

CAX-Online-Generator



1202_02122

