

compact Pin Busbar, 10mm² connection: 1p/N AFDD 5SM6 + compact device 1 MW + auxiliary switch 0.5 MW touch protected 1000mm cuttable



| Model | | |
|---|--|-------|
| product brand name | SENTRON | |
| product designation | Pin busbar | |
| design of the product | 10 mm ² , 1p+N, 60MW, AFDD 5SM6 + compact + aux. switch, can be cut | |
| General technical data | | |
| phase number | 1 | |
| cross-section | 10 mm ² | |
| operating voltage / rated value / maximum | 230 V | |
| Main circuit | | |
| operational current / rated value | 63 A | |
| Suitability | | |
| suitability for interaction | | |
| • devices with auxiliary switch | Yes | |
| • devices with N conductor | Yes | |
| Product details | | |
| product feature / insulated | Yes | |
| Number | | |
| number of devices / suitable for fitting | 24 | |
| Connections | | |
| type of electrical connection | Pin | |
| Mechanical Design | | |
| module width | 45 mm | |
| height | 13 mm | |
| width | 40.8 mm | |
| length | 1 035.9 mm | |
| net weight | 392 g | |
| General Product Approval | | |
| | Declaration of Conformity | other |

[Confirmation](#)

[Miscellaneous](#)



[UK Declaration of Conformity](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3780-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3780-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3780-0

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



