




compact Pin Busbar, 10mm² connection: 3p/N (RCCB N-right) 1x RCCB 4-pole+1x MCB 3-pole+ 5x compact device 1MW touch protected 12 MW cuttable

Model						
product brand name	SENTRON					
product designation	Pin busbar					
design of the product	10 mm ² , 3p+N, RCCB N right 3p+N, MCB 3p, 5x compact, can be cut					
General technical data						
phase number	3					
cross-section	10 mm ²					
operating voltage / rated value / maximum	400 V					
Main circuit						
operational current / rated value	63 A					
Suitability						
suitability for interaction						
• devices with auxiliary switch	No					
• devices with N conductor	Yes					
Product details						
product feature / insulated	Yes					
Number						
number of devices / suitable for fitting	7					
Connections						
type of electrical connection	Pin					
Mechanical Design						
module width	18 mm					
height	13.7 mm					
width	42.4 mm					
length	217.7 mm					
General Product Approval						
<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;">Confirmation</td> <td style="text-align: center;">Miscellaneous</td> <td style="text-align: center;"> EG-Konf.</td> <td style="text-align: center;">UK Declaration of Conformity</td> <td style="text-align: center;">Miscellaneous</td> </tr> </table>		Confirmation	Miscellaneous	 EG-Konf.	UK Declaration of Conformity	Miscellaneous
Confirmation	Miscellaneous	 EG-Konf.	UK Declaration of Conformity	Miscellaneous		

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3785-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3785-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3785-0

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



