


Pin busbar, can be cut 18 mm², 1-phase, 1016mm , according to UL 489, 480/277V for LS 5SJ4...-HG



| Model | |
|-----------------------------------|----------------------|
| product brand name | SENTRON |
| product designation | Pin busbar |
| design of the product | Can be cut to length |
| General technical data | |
| phase number | 1 |
| Main circuit | |
| operational current / rated value | 80 A |
| Product details | |
| product feature / insulated | Yes |
| Connections | |
| type of electrical connection | Pin |
| Mechanical Design | |
| width | 60 mm |
| length | 1 009 mm |
| net weight | 741.86 g |
| General Product Approval | |
| Declaration of Conformity | |

[Confirmation](#)



[Miscellaneous](#)



[UK Declaration of Conformity](#)



EG-Konf.

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=5ST3701-3HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3701-3HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

