



RC safety socket outlet T55 Type A (PSE/SSF) 16 A 1+N-pole IFN 10 mA  
125-230 V 2 MW in molded-plastic enclosure

Model	
product brand name	DELTA
product designation	SCHUKO socket outlet
cover version	complete enclosure
design of the special power supply unit	without special current supply
design of the socket / according to VDE 0620 for severe conditions	No
design of the phase tap	No
General technical data	
marking / of socket outlet	without imprint
mounting type	fixing with screw
surface processing	others
material	thermoplastic
Supply voltage	
operating voltage / rated value	230 V
supply voltage frequency / rated value	50 Hz
Protection class	
protection class IP	IP54
Current	
tripping fault current / rated value	10 000 mA
Main circuit	
operational current / rated value	16 A
Appearance	
color	miscellaneous
Product details	
product component	
• ejection equipment	No
• labeling field	No
• increased touch protection	No
• residual current device	Yes
• miniature fuse	No
• integrated / functional lighting	No
• integrated / light source	No
• integrated / orientation lighting	No
• hinged lid	Yes
product feature	
• lockable	No
• halogen-free	Yes
• transparent	No

Product function				
product function				
• socket selectable	Yes			
• overvoltage protection	No			
Number				
number of units	1			
number of sockets / switchable	0			
Connections				
arrangement of contacts / diagonal	No			
type of electrical connection	plug terminal			
Mechanical Design				
height	180 mm			
width	119 mm			
depth	95 mm			
fastening method	surface mounted			
material / of the enclosure	plastic			
<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>Test Certificates</b>	<b>other</b>	<b>Dangerous Good</b>



EG-Konf.

[Special Test Certificate](#)

[Miscellaneous](#)

[Transport Information](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SZ9206>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5SZ9206>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SZ9206](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SZ9206)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



