



Auxiliary current switch with 1 NO contact and 1 NC contact Contact for 30 V AC/DC for 5TT41 or 5TT42

Model	
product brand name	SENTRON
product designation	Auxiliary current switch
design of the product	Mountable
design of the product / factory mounted	No
Supply voltage	
operating voltage	
• rated value	30 V
Switching capacity	
switching capacity current / rated value	0 A
Control current	
type of voltage / of control voltage	AC
Product details	
number of fault signal contacts	0
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product extension / can be mounted	remote ON switch
product extension	Auxiliary current switch
Mechanical Design	
number of modular width units	1
net weight	51 g
General Product Approval	Declaration of Conformity

[Confirmation](#)



[Miscellaneous](#)



other

[Confirmation](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT4901>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TT4901>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT4901

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



