



Indicator light 1 lamp 230 V red

Model	
product brand name	SETRON
product designation	5TE5 indicator lights
design of the product	LED signal detector
type of light source	LED
socket design / for light source	others
type of voltage / of the operating voltage	AC
Supply voltage	
operating voltage	
• rated value / minimum	230 V
• rated value / maximum	230 V
• at AC / rated value	230 V
Protection class	
protection class IP	IP20
Appearance	
color / of the lens	red
Number	
number of terminals / with cross-head screw	1
Connections	
connectable conductor cross-section / for flexible conductor / with core end processing	
• minimum	1 mm ²
• maximum	6 mm ²
connectable conductor cross-section / for rigid conductor	
• minimum	1.5 mm ²
• maximum	6 mm ²
tightening torque / with screw-type terminals / maximum	1.2 N·m
Mechanical Design	
installation depth	64 mm
number of modular width units	1
Environmental conditions	
ambient temperature / during operation	
• minimum	-5 °C
• maximum	40 °C
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)



[Miscellaneous](#)

other

[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE5800>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TE5800>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE5800

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



