SIEMENS

Data sheet 3TG1010-0BB4



Power relay, AC-3 8.4 A, 4 kW / 400 V 4 NO, 24 V DC 3 pole, screw terminal

Figure similar

| reference code acc. to IEC 81346-2 | K |
|---|--|
| Substance Prohibitance (Date) | 01.07.2006 00:00:00 |
| ambient temperature during operation | -25 +55 °C |
| number of poles | 4 |
| number of NO contacts for main contacts | 3 |
| number of NC contacts for main contacts | 0 |
| type of voltage | DC |
| operational current | |
| at AC-1 at 400 V rated value | 20 A |
| at AC-3 at 400 V rated value | 8.4 A |
| operating power | |
| • at AC-3 at 400 V rated value | 4 kW |
| control supply voltage at DC rated value | 24 24 V |
| number of NC contacts for auxiliary contacts | 0 |
| number of NO contacts for auxiliary contacts | 1 |
| number of CO contacts for auxiliary contacts | 0 |
| fastening method | screw and snap-on mounting onto 35 mm standard mounting rail |
| side-by-side mounting | Yes |
| height | 62 mm |
| width | 36 mm |
| depth | 60 mm |
| type of electrical connection | |
| for main current circuit | screw-type terminals |
| for auxiliary and control circuit | screw-type terminals |
| Safety related data | |
| protection class IP on the front acc. to IEC 60529 | IP00 |
| Further information | |

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3TG1010-0BB4

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3TG1010-0BB4

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


https://support.industry.siemens.com/cs/ww/en/ps/3TG1010-0BB4


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3TG1010-0BB4&lang=en

Characteristic: Tripping characteristics, I2t, Let-through current

https://support.industry.siemens.com/cs/ww/en/ps/3TG1010-0BB4/char

Further characteristics (e.g. electrical endurance, switching frequency) http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3TG1010-0BB4&objecttype=14&gridview=view1





last modified: 12/23/2020 🖸